FW – 16mm **Fire Wall**

GYPSUM BOARD 09 29 00/GC



The Gypsemna's FIREWALL (FW - 16mm) Type X Gypsum Board is an interior gypsum board consisting of a solid set, fire-resistive, Type X gypsum core enclosed in MAGENTA-colored face paper and a strong liner back paper. Gypsemna's FW Type X board features a specially formulated core providing fire resistance ratings when used in tested assemblies. Long edges are slightly tapered, allowing joints to be reinforced and concealed with joint tape and joint compound. The face paper and the back paper are 100 percent recycled.



Basic Uses

The Gypsemna's FIREWALL (FW -16mm) Type X Gypsum Board is used for interior walls and ceilings in all buildings categories applications requiring extended fire ratings. It can be used for new construction or renovations steel framing. The boards are typically screwed to studs spaced maximum (600 mm) also can be applied by laminating or with the use of an adhesive.



Advantages

- Fire ratings up to four hours.
- Consistently high quality.
- Uniformly flat, attractive appearance. No shadows.
- Highedge hardness.
- Uniform high-strength cores eliminate crumbling, cracking.
- Edge tapers consistent to form perfect joints.
- Excellent thermal barrier and sound attenuation qualities.
- Green certified.
- Qualifies as a low-VOC

Get in touch

info@gypsemna.com www.gypsemna.com

technical@gypsemna.com linkedin.com/company/gypsemna-company-llc/

🕑 Technical Data

Physical Properties	
Thickness, Nominal	16mm
Width, Nominal	1200mm
Length, Standard	2400mm, 3000mm
Weight, Nominal	12.75kg/m2
Edges	TE, SE
Color	Magenta Color
Fire-Resistance Characteristics As	STM E84
Core Type	Туре Х
Combustibility	Non-combustible Core
Surface Burning Characteristics	Class A
Flame Spread	0
Smoke Development	15
Standards and References - ASTM C1396 Product Standard	Compliance

- ASTIVI CI396	Product Standard Compliance
- ASTM C473	Standard Test Methods for
	Physical Testing of Gypsum Panel Products
- ASTM C840	Standard Specification for Application and Finishing of Gypsum Board
- ASTM E84	Standard Test Method for Surface Burning Characteristics of Building Materials
- EN 520 F & D	Standard for performance of gypsum
	plasterboards

